

# FLEXIBLE STONE

PRODUCT CATALOG

 Nav\_Adore

RESTORE THE AESTHETIC SOFT PORCELAIN OF  
PANTONE TRUE COLOR

 Nav\_Adore

# 9 NAVYA ADORE FLEXIBLE STONE FEATURES

Flexible stone products have excellent performance such as safety and environmental protection, earthquake resistance and crack resistance, -40 freeze-thaw resistance, A level fire resistance, strong weather resistance, and rich expressive power.

At present, our products are mainly used for store decoration and various commercial spaces, campus renovation projects, old city renovation projects, old residential area renovation projects, scenic area renovation projects, resettlement housing construction projects, once building renovation projects, and other engineering projects.

Flexible stone is inherently natural in color, elegant and rich, and timeless, making it ideal for urban color planning. MCM molding texture is based on various natural material textures, historical handicraft elements, modern art creation elements, etc., and is produced using photosensitive cloning technology. The texture of each material is very real, natural, and rarely repeated. The inorganic non burning ink inkjet printing with a wide color range unique to Angtai New Materials and the self-developed cover coating that adapts to various application scenarios can open up the visual space of decorative design, realizing the dream of visual and color boundaryless.

This irregular and natural beauty is very in line with the requirements of urban architecture returning to nature. It can be recycled and recycled as new products, or restored to the essence of soil through physical and chemical processing, returning to cultivation.



Utilizes independently developed inorganic multifunctional inks for inkjet printing, with bright and durable colors that resist fading for over 20 years outdoors.



Tested by the Guangdong Microbial Analysis and Testing Center and achieves 99.9% antibacterial properties.



Mature production technology with good color difference control of substrates; the inkjet printing process is well-managed, equipped with designers for color and image adjustment, ensuring consistent color for each batch of products.



Tested by the Foshan Ceramic Research Institute Testing Center and has a wear resistance of 2100 cycles, level 4.



Passed freeze-thaw tests with temperatures ranging from 150°C to -40°C, with 20 continuous cycles, showing no color change, no bubbling, no cracking, peeling, or powdering.



Tested by the National Building Materials Testing Center and meets industry standards for acid and alkali resistance.




Customizable topcoats can achieve indoor anti-graffiti and outdoor self-cleaning properties.



Capable of creating patterned designs and continuous large slab textures.



Class A fire rating.



## APPLICATION AREA

# C COMPANY PROFILE

## ABOUT FLEXIBLE STONE TILES

Behind the development of Flexible Stone Tiles, lies the vision of creating a light, thin and durable mineral-based panel that can be installed on high-rise buildings with cement-based tile adhesives. These have the appearance of natural stone or brick and withstands the effect of weather and saline environmental conditions.

Navya Adore's Range of Flexible Stone Tiles are made from polymerised clay, coloured clay aggregate, graded coarse kaolin, inorganic pigments and binders.

They offer the timeless beauty of natural stone with the advantages of modern materials. It is lightweight, thin, and durable and crafted for high-performance facade applications in high-rise and contemporary buildings. The series includes an extensive range of textures and finishes, such as Split Stone, Travertine, Torino, Quartz, Sandstone, Rough Granite, and more.

Designed to withstand weather and saline conditions, it combines aesthetics with functionality, ensuring a lasting appeal for facades and cladding projects. Whether you seek rustic charm or modern elegance, the range provides versatile solutions that replicate the authentic look of natural stone effortlessly.



 Navya Adore

1. PART

## TRAVERTINE SERIES

The natural veining of the travertine is akin to an art piece that has withstood the test of time. It reveals the profundity of the ages and the raw power of nature. Characterized by its unique porous structure and profound textures, the travertine has become a distinctive spectacle within the natural world.

This stone is not merely a material but a testament to the enduring beauty of the earth's evolution. Its distinctive cavities and deep graining serve as a canvas to the narratives of time, offering a glimpse into the depths of geological history. Each piece tells a story, whispering tales of eons past in its own subtle language. It stands as a monument to nature's creativity, a silent guardian of the earth's memory, and an inspiration for the artist's vision.

Experience the grandeur of nature's craftsmanship with our travertine collection—where every detail is a masterpiece of the earth's own making.

T R A V E R T I N E S E R I E S


洞石之美 软瓷之韵  
让自然与艺术完美融合

The beauty of travertine and charm of flexible stone  
Allowing nature and art to blend perfectly



Elemental stone Pattern DS1001-1

1200x600mm



# Travertine

The integration of design aesthetics into daily life

Orange Sunset Cave Shadow 01FT70130

3000x600mm

Model Numbe Orange Sunset Cave Shadow 01FT70130 Ink Brown Stacked Ripples 01WF501538 Lime Ash Grid Melody DLS1011

- Regular Size  
1200x600mm / 2400x600mm / 3000x600mm
- Not Limited The Following Colors



Orange Sunset Cave Shadow 01FT70130

### ▪ Design Concept

At sunset, the sky is filled with hues of red leaning towards golden yellow, with clouds revealing various levels of light and shadow, creating a warm and tranquil atmosphere.



Crimson Vein Stone DS1019



crimson cloud Travertine 01FT70132



Crimson Charm Celestial Traces 01FT701512



Crimson Clay Cloud Realm DS1004



Orange Vein Stone Whisper 01WT701298



# TRAVERTINE

Enjoying the serene company of beautiful landscapes



Rain Traces Stone Whispers DS1018

1200×600mm

- Regular Size  
1200×600mm / 2400×600mm / 3000×600mm
- Not Limited The Following Colors

5

600×3000



Ashen River Traces 01WT601542  
(Continuous Pattern)

5

600×3000



Hidden River and Mountain Caves 01WT601543  
(Continuous Pattern)

- Regular Size  
1200×600mm / 2400×600mm / 3000×600mm
- Not Limited The Following Colors



Lime Rock Dusk 01WT501286



Grey cave sky curtain 01WT501296



Grey Cave Texture DS1013



Rain Traces Stone Whispers DS1018



Youthful Wood Shadow DS1021



Travertine Original charm 01FT601511

- Regular Size  
1200×600mm / 2400×600mm / 3000×600mm
- Not Limited The Following Colors



Stone Simple Off-White DS3008Z



Elemental stone Pattern DS1001-1



Travertine Flow Patterns DS1001



Sandy Realm Ancient Traces 01WT601521




Terra Cotta Flame Shadow DS3003Z



Water Mark Stone Whisper 01WT601295

# TRAVERTINE

Outstanding strength  
creating brilliance again



▪ Regular Size

1200×600mm / 2400×600mm / 3000×600mm

▪ Not Limited The Following Colors



Deep Earth Flow Patterns DS1002



Lime Gray Cloud Shadow DS1005



Mountain River Stone Shadow 01WT601563



Ancient Wood Travertine 01WT601561



Umber Earthwood Melody DS1022



Umber Earth Cloud Veins DS1003-1

▪ New Travertine - Marble Travertine


▪ Regular Size  
1200×600mm / 2400×600mm / 3000×600mm



01WT501906



01WT601809



**TRAVERTINE**  
The beauty of nature  
The charm of Travertine

▪ Regular Size  
1200×600mm / 2400×600mm / 3000×600mm

▪ Not Limited The Following Colors



01WT601913



01WT601915



01WT601916



01WT601917



01WT601918



01WT601919

▪ New Travertine - Marble Travertine

▪ Regular Size  
1200×600mm / 2400×600mm / 3000×600mm



01WT601911



01WT601912



01WT601928




01WT601929



01WT601924




01WT601923



# TRAVERTINE

Elegance of Travertine. Soul of Nature »



01WT601907



01WT601908

- Regular Size  
1200×600mm / 2400×600mm / 3000×600mm

- Not Limited The Following Colors



01WT601920



01WT601921



01WT601922



01WT601925



01WT601926




01WT601927

- New Travertine -DunhuangTravertine




01WT701589



01WT701715


- Regular Size  
1200×600mm / 2400×600mm / 3000×600mm



01FT701588

- Design Concept

On the rough surface of travertine, I meticulously replicate the traditional Chinese paintings from Dunhuang, every detail exuding respect for the ancient culture. The distressing technique makes these images seem to transcend time, bearing the marks of history, quietly narrating tales of a thousand years within your space.



**2.** PART

**CERAMIC SLAB SERIES**

- Regular Size 1200×600mm
- Not Limited The Following Colors



01WT601545  
Graphite Years 01WT601545



01WT601293  
Silent River Stone Tale 01WT601293

▪ Products Information

Regular Size (mm)	Product Thickness (mm)	Carton Specifications (mm)	Pieces/Carton (pieces)	Square Meters/Carton (m <sup>2</sup> )	Weight/Carton (kg)	Pallet Size (mm)	Crates/Pallet (crts.)	Pieces/Pallet (pieces)	Square Meters/Pallet (m <sup>2</sup> )	Weight/pallet (kg)
1200×600	3.24	1210×610×70	25	18	85	1250×650×1020	9	/	162	765
2400X600	3.7	/	/	/	/	2450×710×510	/	100	144	700
3000X600	3.06	/	/	/	/	3070×710×510	/	100	180	800

▪ Using Tips

The flexible stone has uneven thickness, it is advisable to use a matching adhesive for sticking, and for close-seamed paving, it is advisable to use a matching grout for grouting, and it is recommended to pave horizontally.

Ceramic slates, with their feather-light touch, find their place on the canvas of architecture, whether it be the fresh lines of new builds or the textured tales of old city revitalization. They are not just a layer of allure but a harmonious extension of the building's essence, designed to synergize with its very foundation against the test of time.

# CERAMIC SLAB SERIES

Pure texture, reshaping the aesthetics of space

16WG616546  
Grey Dome Star Tracks 16WG616546

3000×600mm

16WG616546, 16WG616542

Model Numbe Grey Dome Star Tracks 16WG616546 Ashen Ink stardust 16WG616542

# CERAMIC SLAB SERIES



Using natural materials to capture the rhythm of life

16WG616542  
Ashen Ink stardust 16WG616542


3000×600mm



- Regular Size  
1200×600mm / 2400×600mm / 3000×600mm
- Not Limited The Following Colors



16WG616546  
Grey Dome Star Tracks 16WG616546  
(Continuous Pattern)



16WG616542  
Ashen Ink stardust 16WG616542  
(Continuous Pattern)

- Design Concept  
The light gray base tone combined with patterns of stars and cracks creates a profound and mysterious visual effect.



Ag901216  
White Sheer Ink Dance AG901216(Continuous Pattern)



01FG501516  
Black and White Coast 01FG501516(Continuous Pattern)

- Regular Size  
1200×600mm/ 2400×600mm/ 3000×600mm

- Not Limited The Following Colors




**16WG616295**  
Topaz Flowing Veins 16WG616295



**16WG616543**  
Flowing Sand Pottery Melody 16WG616543



**16WG616521**  
Desert Tracks Mark 16WG616521



**Ag201220**  
Azure Crystal Melody AG201220



**Ag501222**  
Obsidian Elegance AG501222



**Ag901217**  
Battle Ink Flowing Gold AG901217



**16WG616545**  
Inkstone Pottery Ripples 16WG616545

▪ Products Information

Regular Size (mm)	Product Thickness (mm)	Carton Specifications (mm)	Pieces/Carton (pieces)	Square Meters/Carton (m <sup>2</sup> )	Weight/Carton (kg)	Pallet Size (mm)	Crates/Pallet (crt.s.)	Pieces/Pallet (pieces)	Square Meters/Pallet (m <sup>2</sup> )	Weight/pallet (kg)
1200×600	3.24	1210×610×70	25	18	85	1250×650×1020	9	/	162	765
2400×600	3.7	/	/	/	/	2450×710×510	/	100	144	700
3000×600	3.06	/	/	/	/	3070×710×510	/	100	180	810

▪ Using Tips

The flexible stone has uneven thickness, it is advisable to use a matching adhesive for sticking, and for close-seamed paving, it is advisable to use a matching grout for grouting, and it is recommended to pave horizontally.

3. PART

SLATE SERIES

A testament to the ages, slate, with its distinctive patterns and steadfast colors, has been the muse of poets through the centuries. The interplay of light and shadow within its lines is like the artful splatter of an artist's ink, or the deliberate strokes of time, painting life into the canvas of history. It carries the heft of landscapes and the depth of historical tales.

# SLATE SERIES

The beauty of nature is replicated on the walls



SLATE SERIES

**DLS1011**  
Lime Ash Grid Melody DLS1011

1200×600mm



Embrace the essence of nature  
to build your artistic living space

01WL601290  
Sulphur Rock Celestial Rift 01WL601290

1200x600mm

▪ Regular Size  
1200x600mm

▪ Not Limited The Following Colors



**DLS1011**

Lime Ash Grid Melody DLS1011

▪ Design Concept

The combination of gray and brown in natural rocks and minerals evokes the beauty of unpolished nature, while the minimalist style in modern design, with its irregular stone patterns, reflects the freedom and innovation of the design.



**01WL601290**

Sulphur Rock Celestial Rift 01WL601290




**01WL601299**

Sulfur Rock Glimmer 01WL601299



**DLS1004**

Umber Gold Stone Melody DLS1004



**DLS1013**

River Vein Brown Ripples DLS1013

▪ Regular Size  
1200×600mm

▪ Not Limited The Following Colors




**01WL201501**  
Sandy Flow Celestial Grey 01WL201501



**DLS1006**  
Starry River Brown Flow DLS1006



**AL201219**  
Cloud Land Forest Realm AL201219



**AL201220**  
Wood Shadow Blue Crystal AL201220



**01WL501813**



**01WL601801**

▪ New Slate Series - Rustic Exterior Wall Tiles

▪ Regular Size  
1200×600mm



**01WL501812**



**01WL601815**



**01WL701816**



**01WL701817**

▪ Products Information

Regular Size (mm)	Product Thickness (mm)	Carton Specifications (mm)	Pieces/Carton (pieces)	Square Meters/Carton (m <sup>2</sup> )	Weight/Carton (kg)	Pallet Size (mm)	Crates/Pallet (crt.)	Square Meters/Pallet (m <sup>2</sup> )	Weight/pallet (kg)
1200×600	3.6	1210×610×70	25	18	66.25	1250×650×1020	9	162	596.25

▪ Using Tips

The flexible stone has uneven thickness, it is advisable to use a matching adhesive for sticking, and for close-seamed paving, it is advisable to use a matching grout for grouting, and it is recommended to pave horizontally.


**4.** PART

# STARRY MOON STONE SERIES

As if it were the most resplendent star in the night sky, or a luminous moon hanging tranquilly in the abyss of the cosmos, it is a precious gift bestowed by nature. With its unique beauty and enigmatic aura, it has captured the hearts of countless.

▪ Regular Size  
1200×600mm

▪ Not Limited The Following Colors



**15**

1200×600 mm		

**Am60603**  
Amethyst Star Rock AM60603 (Continuous Pattern)

▪ Design Concept

The freshly mined Star and Moon rocks from the mountains have an orderly rough surface and naturally beautiful patterns of red, white, and purple colors. The natural textures and colors of the Star and Moon rocks symbolize the mystery and romance of the universe's stars and moon.



**15**

1200×600 mm		

**Am30606**  
Autumn Wilderness Star Tracks AM30606(Continuous Pattern)

# STARRY MOON STONE SERIES


Mastercrafted Luxury with a Luxurious Texture

STARRY MOON STONE SERIES

AM60603

Amethyst Star Rock AM60603


1200×600mm



**XD1002**  
Chrono-Spatial Rusted Tales Xd1002



**XD1001**  
Rough Stone Brown Shadow Xd1001



**01WM501656**




**01WM501703**



**01WM601831**



**01WM601832**



**01WM601833**

- Regular Size  
1200×600mm
- Not Limited The Following Colors



**XD3001Z**  
Starry Moon Unhewn Stone XD3001Z



**XD3002Z**  
Starry Moon Raw Stone XD3002Z




**XD3004Z**  
Stellar Abyss Inkstone XD3004Z

- Regular Size  
3000×1100mm



**TXY3001Z**  
Beige Years TXY3001Z high convex version



**TXY3002Z**  
Vermilion Stone Ripples TXY3002Z high convex version




**TXY3003Z**  
Obsidian Vein TXY3003Z high convex version

▪ **Products Information**

Regular Size (mm)	Product Thickness (mm)	Carton Specifications (mm)	Pieces/Carton (pieces)	Square Meters/Carton (m <sup>2</sup> )	Weight/Carton (kg)	Pallet Size (mm)	Crates/Pallet (crt.s.)	Pieces/Pallet (pieces)	Square Meters/Pallet (m <sup>2</sup> )	Weight/pallet (kg)
1200×600	4.7	1210×610×70	15	10.8	52.25	1250×650×1020	9	/	97.2	478.25
3000×1100	5.2	/	/	/	/	3070×1210×510	/	50	165	814

▪ **Using Tips**

The flexible stone has uneven thickness, it is advisable to use a matching adhesive for sticking, and for close-seamed paving, it is advisable to use a matching grout for grouting, and it is recommended to pave horizontally.



# CHISELED STONE SERIES

The texture of the chiseled stone evokes a sense of natural simplicity, often utilized in garden landscapes and wall decorations. Its application not only enhances visual appeal but also harmoniously blends with the surrounding environment, creating a unique ambiance and style.

# CHISELED STONE SERIES

Nature unfolds, elegant living

**FZ3002Z**  
Milk Gray Stone Grid FZ3002Z

1200x600mm

# CHISELED STONE SERIES



**FZ3003Z**  
DarkNightStoneGrid FZ3003Z

### ■ Design Concept

- Enigmatic cultures and the art of fantasy, including elements from ancient tales, the realms of imaginative stories, and the boundless potential of the universe and its starry skies

■ Regular Size  
1200×600mm

■ Not Limited The Following Colors



01WA601666



01WA601667



01WA601668



01WA601669



01WA601670



01WA601671




01WA601672




01WA601673



- Regular Size  
1200×600mm
- Not Limited The Following Colors



**FZ3002Z**  
Milk Gray Stone Grid FZ3002Z



**AA101221**  
Flowing Water Emerald Shade AA101221


▪ **Products Information**

Regular Size (mm)	Product Thickness (mm)	Carton Specifications (mm)	Pieces/Carton (pieces)	Square Meters/Carton (m <sup>2</sup> )	Weight/Carton (kg)	Pallet Size (mm)	Crates/Pallet (crt.s.)	Square Meters/Pallet (m <sup>2</sup> )	Weight/pallet (kg)
1200×600	4.7	1210×610×70	15	10.8	54	1250×650×1020	9	97.2	48

6

▪ **Using Tips**

The flexible stone has uneven thickness, it is advisable to use a matching adhesive for sticking, and for close-seamed paving, it is advisable to use a matching grout for grouting, and it is recommended to pave horizontally.




## RAMMED EARTH SLAB SERIES

Rammed Earth Slabs: Guardians of Time's Rustic Tales  
As silent sentinels of the terrain, these slabs endure, marking the passage of time. Their surfaces, textured and authentic, tell a story in every line, with each speck a fragment of memory.

# RAMMED EARTH SLAB SERIES

The charm of rammed earth panels, the marks of time  
embodying the natural art that has been passed down for thousands of year



RC5-HT3006Z  
Tangerine Sea Stone Waves RC5-HT3006Z

1200×600mm

RAMMED EARTH SLAB SERIES

RC5-HT3006Z, 16WG616542

Model Numbe Tangerine Sea Stone Waves RC5-HT3006Z Ashen Ink stardust 16WG616542




# RAMMED EARTH SLAB SERIES

New life, emerging naturally

01FN701517  
Nherently Graceful sketch 01FN701517

1200x600mm

- Regular Size  
1200x600mm / 2400x600mm
- Not Limited The Following Colors



01FN701517  
Nherently Graceful sketch 01FN701517



HT3003Z  
YellowSand MasonrySpeak HT3003Z




HT3001Z  
Umber Sand Masonry Chant HT3001Z



HT3002Z  
Grey Sand MasonryChant HT3002Z



01WN501701



01WN501702



01WN601592



WN701272

- Regular Size 1200×600mm
- Not Limited The Following Colors



**RC5-HT3006Z**  
Tangerine Sea Stone Waves RC5-HT3006Z



**RC5-HT3005Z**  
Violet Ripples Overlapping Shadows RC5-HT3005Z



**RC5-HT3008Z**  
Serene Wave Stone Whisper RC5-HT3008Z



**01WN701590**  
Colorful Loam Pastoral 01WN701590



**RC5-HT3007Z**  
Golden Sand Coast RC5-HT3007Z




**01WN501259**  
Ink Stone Trajectory 01WN501259

Products Information

Regular Size (mm)	Product Thickness (mm)	Carton Specifications (mm)	Pieces/Carton (pieces)	Square Meters/Carton (m <sup>2</sup> )	Weight/Carton (kg)	Pallet Size (mm)	Crates/Pallet (crt.s)	Pieces/Pallet (pieces)	Square Meters/Pallet (m <sup>2</sup> )	Weight/pallet (kg)
1200×600	3.41	1210×610×70	25	18	57.81	1250×650×1020	9	/	162	520.31
2400X600	2.52	/	/	/	/	2450×710×510	/	100	144	645

Using Tips

The flexible stone has uneven thickness, it is advisable to use a matching adhesive for sticking, and for close-seamed paving, it is advisable to use a matching grout for grouting, and it is recommended to pave horizontally.




# FLOWSTONE SERIES

A Silent Testament to Time's Carving Hand  
Resting quietly by the stream's edge,  
it endures as the clear waters trace gentle  
lines upon its surface, crafting a masterpiece of nature  
and a celebration of the years.

# FLOWSTONE SERIES

Still waters run deep, blossoming the rhythm of nature



01WF501538

Ink Brown Stacked Ripples 01WF501538

1200x600mm



# FLOWSTONE SERIES

Masterfully Crafted,  
Carving the Beauty of Time

红棕石澜 LS1001  
Crimson Brown Stone Ripples LS1001

1200×600mm

Regular Size  
1200×600mm

■ Not Limited The Following Colors



LS1001  
Crimson Brown Stone Ripples LS1001

■ Design Concept

The design concept of the product is inspired by the colorful layers formed by the erosion of rocks by water in nature, as well as the layered shapes akin to venetian blinds, creating a sense of dynamic yet orderly space. The mix of earth tones, browns, and terracotta reds mimics the colors of the earth, giving a feeling of warmth and inclusiveness.



01WF501537



LS3003-2




LS3003Z

- Regular Size  
1200×600mm
- Not Limited The Following Colors



**01WF501538**  
Ink Brown Stacked Ripples 01WF501538



**LS3002**  
Ink Stone Layered Ripples LS3002

▪ Products Information

Regular Size (mm)	Product Thickness (mm)	Carton Specifications (mm)	Pieces/Carton (pieces)	Square Meters/Carton (m <sup>2</sup> )	Weight/Carton (kg)	Pallet Size (mm)	Crates/Pallet (crts.)	Square Meters/Pallet (m <sup>2</sup> )	Weight/pallet (kg)
1200×600	10.5	1210×610±0	9	6.48	51	1250×650×1020	9	58.32	459

▪ Using Tips

The flexible stone has uneven thickness, it is advisable to use a matching adhesive for sticking, and for close-seamed paving, it is advisable to use a matching grout for grouting, and it is recommended to pave horizontally.



# LINEN FINISH SERIES

Life: A Harmonious Blend of Simplicity and Elegance

Life can be a canvas of simplicity that never loses its touch of sophistication; it can be a tapestry of unadorned beauty that never fails to be delicate. Its textures mirror the gentle ripples of time, playing softly on the surface of life's quiet lake, offering a serene strength in the whirl of our daily race.

# LINEN FINISH SERIES

Weaving a simple yet sophisticated style into life

L I N E N F I N I S H S E R I E S



Bw1001  
Forest Brown Weave BW1001

1200×600mm



# LINEN FINISH

Subtle Texture, Natural Touch

Bw1005  
Brown Forest Mountain Shadow BW1005

1200x600mm

■ Regular Size

1200x600mm / 2400x600mm / 3000x600mm

■ Not Limited The Following Colors



BW1005  
Brown Forest Mountain Shadow BW1005

■ Design Concept

Gazing upwards from the jungle floor to the mountain peaks, the design integrates the layers and depth of this natural landscape. The combination of linen textures and beige tones mimics the jungle and mountain colors in nature, creating a tranquil and profound sense of space.



01WC601820




01WC701821



Eco-Friendly

- Regular Size  
1200×600mm / 2400×600mm / 3000×600mm

- Not Limited The Following Colors



**BW1001**  
Forest Brown Weave BW1001



**BW1002**  
Beige Yellow Stone Vein BW1002

▪ Products Information

Regular Size (mm)	Product Thickness (mm)	Carton Specifications (mm)	Pieces/Carton (pieces)	Square Meters/Carton (m <sup>2</sup> )	Weight/Carton (kg)	Pallet Size (mm)	Crates/Pallet (crts.)	Pieces/Pallet (pieces)	Square Meters/Pallet (m <sup>2</sup> )	Weight/pallet (kg)
1200×600	3.7	1210×610×70	25	18	75	1250×650×1020	9	/	162	675
2400×600	2.7	/	/	/	/	2450×710×510	/	100	144	650
3000×600	2.7	/	/	/	/	3070×710×510	/	100	180	812.5

▪ Using Tips

The flexible stone has uneven thickness, it is advisable to use a matching adhesive for sticking, and for close-seamed paving, it is advisable to use a matching grout for grouting, and it is recommended to pave horizontally.



# DACITE SERIES

Andesite: A Poetic Birth from the Earth's Volcanic Soul  
Born from the whispers of the volcano and the chill of the atmosphere, andesite carries the poetic essence of fire and ice. Its creation is a narrative of nature's most magnificent performances, an embodiment of the earth's profound strength.

# DACITE SERIES

Nature unfolds, elegant living



D A C I T E S E R I E S

01WQ601287  
Purple Rice Minimal 01WQ601287

1200×600mm



# DACITE SERIES

Inspiration's source, the eternal canvas of nature

01WQ601551, 01WQ201285

Model Number : Sandstone Off-White 01WQ601551, Ethereal Rock Dream Sketch 01WQ201285

■ Regular Size

1200×600mm / 2400×600mm

■ Not Limited The Following Colors



01WQ601287

Purple Rice Minimal 01WQ601287

■ Design Concept

Contemporary minimalist art expresses profound artistic concepts through simple lines and light purple, creates a warm and tranquil and color blocks. The harmonious combination of natural colors, with the pairing of beige atmosphere.



01WQ601551

Sandstone Off-White 01WQ601551



01WQ201285

Ethereal Rock Dream Sketch 01WQ201285



01WQ601289



01WQ601822



01WQ701823

- Regular Size  
1200×600mm / 2400×600mm
- Not Limited The Following Colors



**Pw1002**  
Flame Pattern Stone Narrative PW1002




**Pw1001**  
Cloud Shadow Blue Slate PW1001

▪ Products Information

Regular Size (mm)	Product Thickness (mm)	Carton Specifications (mm)	Pieces/Carton (pieces)	Square Meters/Carton (m <sup>2</sup> )	Weight/Carton (kg)	Pallet Size (mm)	Crates/Pallet (crt.s.)	Pieces/Pallet (pieces)	Square Meters/Pallet (m <sup>2</sup> )	Weight/pallet (kg)
1200×600	3.6	1210×610×70	25	18	95	1250×650×1020	9	/	162	855
2400×600	2.81	/	/	/	/	2450×710×510	/	100	144	650

▪ Using Tips

The flexible stone has uneven thickness, it is advisable to use a matching adhesive for sticking, and for close-seamed paving, it is advisable to use a matching grout for grouting, and it is recommended to pave horizontally.



PART  
**10.**

# SHALE SERIES

**Nature's Silent Chronicler: A Bridge of Time**

Its layered presence and intricate depth act as a bridge from the past to the present, a silent teller of stories that brings the peace and harmony of nature into our fast-paced world. The soft porcelain's shale effect, adorning both interior and exterior surfaces, imparts a singular artistic atmosphere to the space.

# SHALE SERIES

S H A L E S E R I E S

Yy1002  
Brown Rock Straight Grain YY1002

1200×600mm

YY1002, DS1018

Model Numbe Brown Rock Straight Grain YY1002 Rain Traces Stone Whispers DS1018

# SHALE SERIES

构筑不凡  
尽显建筑艺术的深度与宽广

Building Extraordinary  
Fully Displaying the Depth and  
Breadth of Architectural Art

岩面木纹 YY1001  
Rock Surface Wood Grain YY1001

1200×600mm

Regular Size  
1200×600mm

Not Limited The Following Colors



YY1002  
Brown Rock Straight Grain YY1002

Design Concept

The natural straight grain texture after the wood board is cut provides a simple and orderly visual experience. The warmth of light brown combined with the natural texture of page rock creates a cozy and modern atmosphere



YY1001  
Rock Surface Wood Grain YY1001



YY1003  
Brown Rock Whisper YY1003



AH701218  
Ancient Path Stone Shadow AH701218



YY1004

Products Information

Regular Size (mm)	Product Thickness (mm)	Carton Specifications (mm)	Pieces/Carton (pieces)	Square Meters/Carton (m <sup>2</sup> )	Weight/Carton (kg)	Pallet Size (mm)	Crates/Pallet (crts.)	Square Meters/Pallet (m <sup>2</sup> )	Weight/pallet (kg)
1200×600	2.9	1210×610×45	16	11.52	44.8	1250×650×1020	13	149.76	582.4

Using Tips

The flexible stone has uneven thickness, it is advisable to use a matching adhesive for sticking, and for close-seamed paving, it is advisable to use a matching grout for grouting, and it is recommended to pave horizontally.

## CONSTRUCTION FLOW CHART

During the construction process, it should be strictly carried out according to the process requirements to ensure the quality and effect of construction.



## SUITABLE FOR BASE AND TREATMENT

Suitable base to keep the wall flat



Concrete slab



Cement wall



Etter board



Ceramic tile



Oriented strand board



Aluminum-plastic panel



Calcium-silicon board



Plate metal

- Note: During construction, the base surface needs to be coated with a layer of wall solid (smooth wall needs to be brushed with interface agent) to improve the stability of the base and the fastness of the paste.

## CONSTRUCTION METHODS AND METHODS



Glue the wall behind the product, and adjust the position by moving the pressure left and right



meet up and down uneven situation can use the blade adjustment



Use wood blocks on gas nails to fix the products that have been pasted



Glue the wall behind the product, and adjust the position by moving the pressure left and right



Use a dry cloth to clean after laying

PREPARE TOOLS AND ACCESSORIES



Cutting machine



Level



Small spatula



Utility knife



Paste lotion and special tile glue



Mosquito nail gun



Masking paper



Special tinting agent and repair material



Construction leveling and approval



Writing brush

OUTDOOR INSTALLATION PRECAUTIONS

- 1) The binder should be a factory matching special binder to ensure paste strength and no return alkali. Pointing agent can be selected according to the design requirements of anti-alkali tile pointing agent, silicone building sealant.
- 2) Outdoor paste can not be glued, the wall paste degree must reach more than 80%.
- 3) 600X300m or more large size products should be double-sided plastering, that is, the wall and the back of the product, and can not be plastered on the wall than 80%.

- 4) Outdoor construction paste within 48 hours to avoid rain, otherwise it may fall off or return alkali; The construction environment temperature should not be lower than 5 or higher than 40 . When it is higher than 40 , there should be shading facilities to avoid high temperature moisture volatilization too fast, and the hydration time of the binder is not enough, which reduces the bond strength; Should not be constructed under snow and ice conditions, otherwise the product may fall off after the weather gets warm; When the humidity is too high, the special adhesive takes a long time to completely dry and cure. Therefore, it is necessary to pay attention to the weather conditions and have emergency measures before Posting, which is very important to ensure the quality of construction.

Note: the company reserves the right to make change on the product appearance and no further notice is given. The dimension and color of any product are subject to those of the material object.